

# Civil Penalties Assessed and Paid

Penalties Paid between 1/1/13 and 12/31/14

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2013001	LAYDON INDUSTRIES, LLC	8/27/2013	25 RESERVOIR DR ANSONIA	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2013003	VMS CONSTRUCTION Company	8/2/2013	66 WELLS RD WETHERSFIELD	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$700.00
2013005	HAYNES CONSTRUCTION COMPANY	8/19/2013	43 PATTON DR NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$700.00
2013007	KOWALSKY BROTHERS, INC.	8/15/2013	1056 POST RD EAST WESTPORT	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2013010	MASTROBATTISTO INC.	8/12/2013	131 A TRUMBULL AVE MILFORD	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$750.00
2013011	MIZZY CONSTRUCTION	8/7/2013	98 BRIDGE ST NAUGATUCK	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2013013	A. J. PENNA & SON CONSTRUCTION, Inc.	6/21/2013	28 VERNON PL STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2013014	AT&T	8/14/2013	25 HONEY HILL RD LYME	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$900.00
2013016	CONNECTICUT NATURAL GAS	8/9/2013	1 WOEWASSA LA FARMINGTON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,200.00
2013017	CONNECTICUT NATURAL GAS CORP	8/20/2013	MAIN ST GLASTONBURY	GAS FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013018	SOUTHERN CONNECTICUT GAS	8/12/2013	1356 RIDGE RD NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	NO RECORD OF FACILITY - NOT LOCATED, OR INCORRECTLY	\$600.00
2013019	Yankee Gas Services Company	8/15/2013	53 HILLSIDE AVE PLYMOUTH	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013020	Yankee Gas Services Company	8/19/2013	136 WINNFELD ST NORWALK	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013021	Yankee Gas Services Company	8/22/2013	8 GLASSER ST NORWALK	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013022	SOUTHERN CONNNECTICUT GAS	8/22/2013	65 AVON ST MILFORD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$700.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2013023	CONNECTICUT NATURAL GAS	7/29/2013	209 SMALLEY ST NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$950.00
2013025	CHERRY HILL CONSTRUCTION, INC.	9/30/2013	SUNRISE HILL RD ORANGE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2013027	HAYNES CONSTRUCTION COMPANY	9/23/2013	11 ROCKVIEW CIRCLE NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$650.00
2013028	MINERI EXCAVATION & LANDSCAPING	9/9/2013	11 BROADWAY NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$400.00
2013029	QUALITY ASSOCIATES, Inc.	9/3/2013	37 NEW LA CROMWELL	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2013030	BURNS CONSTRUCTION CO., INC.	9/30/2013	163 BAROS AVE FAIRFIELD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,500.00
2013031	BURNS CONSTRUCTION Co., Inc.	4/8/2013	5 WINSLOW DR WEST HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,300.00
2013032	AT&T	9/30/2013	29 INDUSTRIAL PARK RD NEW HARTFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2013033	YANKEE GAS SERVICES	9/26/2013	5A NORTHWOOD ST ENFIELD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013034	Yankee Gas Services Company	9/4/2013	911 MONTAUK AVE NEW LONDON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,300.00
2013035	AT & T	9/3/2013	1-74 ELIZABETH ST WEST HAVEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2013036	Yankee Gas Services Company	7/23/2013	76 SANDE AVE NAUGATUCK	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2013037	HAYNES CONSTRUCTION COMPANY	10/7/2013	295 WILMOT RD NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,150.00
2013039	LUDLOW CONSTRUCTION CO., INC.	10/21/2013	486 NORTH MAIN ST MANCHESTER	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2013040	PAGANELLI CONSTRUCTION CORP.	10/29/2013	62 CLEVELAND AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$400.00
2013041	QUALITY ASSOCIATES, Inc.	10/11/2013	2 NEW LN CROMWELL	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$950.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2013045	FREDDY'S LANDSCAPING	10/12/2013	1 FLAGLER DR GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2013046	R. H. WHITE CONSTRUCTION Co., Inc.	10/1/2013	TARIFFVILLE RD SIMSBURY	GAS FACILITY DAMAGED MAIN LINE	FAILURE TO STAY WITHIN THE PROPOSED WORK AREA	\$900.00
2013053	CONNECTICUT NATURAL GAS CORP	10/11/2013	70 GROVE HILL DR NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,050.00
2013054	CONNECTICUT NATURAL GAS CORP	10/7/2013	21 ANNAWAN ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2013055	CONNECTICUT LIGHT AND POWER	10/30/2013	83 WEST HYERDALE DR GOSHEN	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,450.00
2013056	AT&T	10/31/2013	29 BUSINESS PARK DR BRANFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2013057	CONNECTICUT NATURAL GAS CORP	9/12/2013	97-115 GORDON LA EAST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00
2013058	MONARCA & MONARCA, LLC	6/11/2013	22 ACTON ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$500.00
2013061	M & O CONSTRUCTION CO., INC.	11/7/2013	43 WARRINGTON ROUN DANBURY	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2013062	MANERI LANDSCAPING, LLC	11/25/2013	164 CLINTONVILLE RD NORTH HAVEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$450.00
2013064	MONARCA & MONARCA EXCAVATION LLC	11/4/2013	30 ALAN GREEN WAY HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2013065	MONDO'S CONSTRUCTION	11/4/2013	910 BURR ST FAIRFIELD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2013066	R. H. WHITE CONSTRUCTION CO., INC.	11/13/2013	31 DEERFIELD DR MANCHESTER	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2013067	A.J. PENNA & SON CONSTRUCTION, INC.	11/5/2013	HOYT FARM DR NEW CANAAN	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,150.00
2013070	R. H. WHITE CONSTRUCTION CO., INC.	11/26/2013	1500 PEQUONOCK AVE WINDSOR	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$850.00
2013071	RALPH CAMPUTARO & SON EXCAVATING INC.	11/25/2013	10 GROVE ST MILFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2013074	WJL EQUITIES CORP	11/14/2013	GREY ROCK GREENWICH	GAS FACILITY DAMAGED MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$700.00
2013075	WOLFE HOUSE MOVERS LLC	11/4/2013	25 CHANNEL AVE NORWALK	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2013076	AT&T	11/6/2013	885 NORTH MAIN ST WATERBURY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2013077	CONNECTICUT LIGHT AND POWER	11/25/2013	1295 EAST MAIN ST MERIDEN	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,500.00
2013078	CONNECTICUT NATURAL GAS	11/18/2013	201 VALLEY RD COS COB	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2013079	YANKEE GAS SERVICES	11/26/2013	2 ZIPP AVE BRISTOL	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,950.00
2013080	AT&T	11/19/2013	218 BEDFORD ST STAMFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,250.00
2013081	CONNECTICUT NATURAL GAS CORPORATION	10/10/2013	312 FAIRFIELD AVE HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2013082	AT&T	10/11/2013	ASYLLUM ST HARTFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,700.00
2013083	AT&T	11/20/2013	15 NORTH GRANBY RD GRANBY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014001	GERBER CONSTRUCTION INC.	12/18/2013	1071 SOUTH MAIN ST SOUTHTON	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,500.00
2014002	HAYNES CONSTRUCTION COMPANY	12/26/2013	14 WALKER RD NEW BRITAIN	GAS FACILITY DAMAGED MAIN LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$1,050.00
2014003	R H WHITE CONSTRUCTION	12/4/2013	13 BROOKDALE AVE BLOOMFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,150.00
2014005	AT&T	12/18/2013	6 FAIRFIELD BLVD WALLINGFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2014006	CONNECTICUT NATURAL GAS CORPORATION	12/16/2013	161 ARCH ST NEW BRITAIN	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,700.00
2014007	AT&T	12/3/2013	26E HUTCHINS ST KILLINGLY	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,050.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014008	AT&T	10/9/2013	395 MAIN ST WATERTOWN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014009	YANKEE GAS SERVICES	12/18/2013	1071 SOUTH MAIN ST SOUTHINGTON	GAS FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$3,200.00
2014012	J IAPALUCCIO INC.	1/17/2014	25 PROSPECT ST RIDGEFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2014014	MANAFORT BROTHERS INCORPORATED	2/19/2014	189 THOMASTON ST HARTFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$500.00
2014015	AMEC CARTING, LLC	3/13/2014	1600 CUTSPRING RD STRATFORD	GAS FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$800.00
2014016	GPL CONSTRUCTION	3/26/2014	23 HANOVER ST STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2014019	THE SOUTHERN CONNECTICUT GAS	3/28/2014	25 MARIE ST MILFORD	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$750.00
2014021	Yankee Gas Services Company	3/24/2014	36 UNDERHILL ST STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,500.00
2014022	RH WHITE CONSTRUCTION CO., INC.	4/11/2014	CORNWALL ST HARTFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,500.00
2014023	AMEC CONSTRUCTION, LLC	4/16/2014	CLINTON AVE STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$950.00
2014026	CAPITAL CABLE CONSTRUCTION LLC	4/14/2014	1269 INDUSTRIAL PARK MIDDLEFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$500.00
2014027	CAPITAL CABLE CONSTRUCTION LLC	4/14/2014	OLD INDIAN TRAIL MIDDLEFIELD	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$500.00
2014029	HAYNES DEVELOPMENT COMPANY	2/7/2014	186 MEADOW BROOK R OXFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,500.00
2014030	CONNECTICUT NATURAL GAS CORPORATION	4/4/2014	60 RIDGEWAY ST NEWINGTON	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,700.00
2014031	CONNECTICUT LIGHT AND POWER COMPANY	3/11/2014	65 HEDGEBROOK LA STAMFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2014032	CAPITAL CABLE CONSTRUCTION, LLC	4/10/2014	501 MAIN ST MIDDLETOWN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,150.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014033	A & J CONSTRUCTION	5/29/2014	71 JONES RD HAMDEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$800.00
2014034	B & W PAVING & LANDSCAPING, LLC	5/13/2014	235 LESTERTOWN RD GROTON	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2014037	DALLING CONSTRUCTION, Inc.	5/14/2014	680 PARK AVE BRIDGEPORT	GAS FACILITY DAMAGED MAIN LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$500.00
2014040	V M S CONSTRUCTION COMPANY	5/19/2014	26 NORTHWOOD ST ENFIELD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2014041	THE CONNECTICUT LIGHT AND POWER COMPANY	5/5/2014	SHERRY DR SOUTHINGTON	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,750.00
2014042	COX COMMUNICATIONS	5/7/2014	70-78 CLIFFSIDE DR MANCHESTER	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00
2014043	C.J. FUCCI, INC.	6/16/2014	NORTH FRONTAGE RD NEW HAVEN	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2014047	CONNECTICUT LIGHT AND POWER	6/10/2014	8 INSPIRATION LA CHESTER	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,600.00
2014048	AT&T	6/7/2014	30 SHELBURNE RD STAMFORD	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00
2014049	YANKEE GAS SERVICES COMPANY	6/17/2014	52 PARK ST PLAINVILLE	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - INCORRECT RECORD	\$1,300.00
2014050	CONNECTICUT LIGHT AND POWER COMPANY	6/17/2014	8 HOLMWOOD LA NEW CANAAN	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,000.00
2014051	CONNECTICUT LIGHT AND POWER COMPANY	6/4/2014	329 NONNEWAUG RD BETHLEHEM	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,000.00
2014052	CONNECTICUT LIGHT AND POWER COMPANY	6/14/2014	37 ABBE RD EAST WINDSOR	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,000.00
2014053	B & W PAVING & LANDSCAPING LLC	7/22/2014	165 WINDHAM ST WINDHAM	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,650.00
2014063	MASTROBATTISTO, INC.	7/22/2014	325 OLD WHITFIELD ST GUILFORD	WATER FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2014066	SIGNATURE POOLS, INC.	7/12/2014	172 SHORE RD GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,500.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014067	SIGNATURE POOLS, INC.	7/12/2014	172 SHORE RD GREENWICH	COMMUNICATIONS FACILITY SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,500.00
2014070	VMS CONSTRUCTION COMPANY	7/21/2014	450 HIGH ST MILFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$950.00
2014071	LAYDON INDUSTRIES, LLC	6/30/2014	112 WILLOW ST CHESHIRE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$600.00
2014073	SOUTHERN CONNECTICUT GAS	7/10/2014	21 HARBOR ST BRANFORD	GAS FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,150.00
2014074	CONNECTICUT LIGHT AND POWER COMPANY	7/30/2014	44 CARRIAGE LA TORRINGTON	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,200.00
2014075	CONNECTICUT LIGHT AND POWER COMPANY	7/30/2014	214 STRAITSVILLE RD PROSPECT	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014077	THE UNITED ILLUMINATING COMPANY	7/16/2014	SOUTH FRONTAGE RD NEW HAVEN	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$750.00
2014078	YANKEE GAS SERVICES COMPANY	7/11/2014	145 NORTHWEST DR PLAINVILLE	GAS FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$2,000.00
2014079	CONNECTICUT LIGHT AND POWER COMPANY	7/23/2014	19 ESTHER LA COLCHESTER	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,200.00
2014080	CONNECTICUT LIGHT AND POWER COMPANY	7/8/2014	WEST HILL RD NEW HARTFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014081	YANKEE GAS SERVICES COMPANY	7/29/2014	12 RESERVOIR AVE NORWALK	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,300.00
2014083	AJ PENNA & SON CONSTRUCTION, INC.	8/20/2014	6 VIKING GRN WESTPORT	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2014084	CJ FUCCI, INC	8/21/2014	STATE ST NEW HAVEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,200.00
2014085	CONNECTICUT LIGHT AND POWER COMPANY	8/8/2014	440 COLONIAL RD GUILFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2014088	KING CONSTRUCTION, INC.	8/18/2014	28 PROSPECT HILL RD WINDSOR	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$1,500.00
2014090	UNITED ILLUMINATING COMPANY	8/11/2014	352 FOXWOOD LA MILFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$950.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014091	SCHUPP'S LAND CLEARING &	8/14/2014	289 STANWICH RD GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO NOTIFY CBYD	\$1,000.00
2014092	VAZ QUALITY WORKS, LLC	8/14/2014	105 CHURCH ST GUILFORD	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$750.00
2014093	MONACO EXCAVATION COMPANY, INC.	7/1/2014	16 ROSEWOOD CIR MONROE	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014095	CONNECTICUT NATURAL GAS CORPORATION	8/2/2014	12 MAHER AVE GREENWICH	GAS FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00
2014096	COMCAST	8/18/2014	140 THOMPSON ST EAST HAVEN	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$750.00
2014097	CONNECTICUT LIGHT AND POWER COMPANY	8/28/2014	20 PARK RD OXFORD	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014098	CONNECTICUT LIGHT AND POWER COMPANY	8/6/2014	16 WOODBRIDGE DR SUFFIELD	ELECTRIC FACILITY DAMAGED MAIN LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,600.00
2014099	CONNECTICUT LIGHT AND POWER COMPANY	8/4/2014	31-55 SHELBOURNE DR GOSHEN	ELECTRIC FACILITY DAMAGED MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,750.00
2014100	AMEC CARTING, LLC	9/27/2014	184-191 SUMMER ST STAMFORD	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2014103	C. J. FUCCI INC	9/12/2014	LOCKWOOD AVE STAMFORD	ELECTRIC FACILITY DAMAGED MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$1,700.00
2014107	WSM CONSTRUCTION, INC	9/18/2014	184-186 FAIRFIELD AVE HARTFORD	COMMUNICATIONS FACILITY MAIN LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$850.00
2014108	KING CONSTRUCTION, INC.	8/19/2014	28 PROSPECT HILL RD WINDSOR	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$750.00
2014110	RED TECHNOLOGIES, LLC	8/27/2014	8 BAR WILL DR MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$500.00
2014111	GERBER CONSTRUCTION, INC.	8/26/2014	89 DART HILL RD SOUTH WINDSO	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$850.00
2014112	GERBER CONSTRUCTION, INC.	8/20/2014	89 DART HILL RD SOUTH WINDSO	GAS FACILITY DAMAGED SERVICE LINE	FAILURE OF EXCAVATOR TO MAINTAIN MARKINGS	\$500.00
2014116	R.E.D. TECHNOLOGIES, LLC	9/19/2014	424 GRAVEL ST MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	FAILED TO HAND DIG (APPLIES TO GAS FACILITIES ONLY)	\$550.00

Case ID#	Party	Incident Date	Incident Address	Facility Affected	Incident Cause	Fine Paid
2014119	CONNECTICUT LIGHT AND POWER COMPANY	9/2/2014	531 PEARL LAKE RD WATERBURY	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014120	CONNECTICUT LIGHT AND POWER COMPANY	9/9/2014	111 LEWIS ST GREENWICH	ELECTRIC FACILITY DAMAGED SERVICE LINE	NOT LOCATED - MARKOUT PERSON ERROR OR OMISSION	\$1,400.00
2014121	CONNECTICUT LIGHT AND POWER COMPANY	9/3/2014	17 DEER RUN DR SEYMOUR	ELECTRIC FACILITY DAMAGED SERVICE LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$1,400.00
2014125	R.E.D. TECHNOLOGIES, LLC	9/29/2014	408 GRAVEL ST MERIDEN	GAS FACILITY DAMAGED SERVICE LINE	EXCAVATOR FAILED TO USE REASONABLE CARE	\$650.00
2014137	FRONTIER COMMUNICATIONS	10/27/2014	14 DAWN HILL RD SHARON	COMMUNICATIONS FACILITY MAIN LINE	LOCATED INCORRECTLY - MARKOUT PERSON ERROR OR	\$850.00

**Total Penalties paid: \$141,350.00**